



Canitenol-BT

Internal antiparasitic Taenicide



Pharmaceutical Form

Tablets.

Composition per tablet

Praziquantel

50 mg.

Indications

Taeniasis in dogs and cats, caused by the following cestodes:

Echinococcus granulosus

Multiceps multiceps

Echinococcus multilocularis

Mesocestoides corti

Dipylidium canium

Taenia pisciformis

Taenia ovis

Hydatigena (Taenia) taeniformis

Taenia hydatigena.

Administration Route

Oral; directly, crumbed or mixed with feed.

Dosage and administration

Dogs: 1 tablet of CANITENOL-BT per 10 kg body weight. It is not necessary to exceed the dose of 180 mg of Praziquantel in dogs over 35 kg of body weight.

Cats: ½ tablet of CANITENOL-BT per 5 kg body weight. It is not necessary to exceed the dose of 35 mg of Praziquantel in adult cats.

Treat at intervals of 4-6 weeks or 2 to 4 times a year depending on the risk of infestation.

Withdrawal period

Not applicable.

Shelf-life period

3 years.

Storage

In a cool, dry and dark place and protected from light.

Do not store the product below 4°C.

Supply

Blister with 10, 50, or 500 tablets.

LICENSE NUMBER: 0598-ESP (AEM SPAIN)