



# Benzatard

## Long-Acting Penicillin Suspension



### Pharmaceutical Form

Injectable suspension.

### Composition per ml

Procaine Penicillin G	150.000 I.U.
Benzathine Penicillin G	150.000 I.U.

### Indications

Treatment of bacterial infections caused by germs sensitive to this antibiotic association, such as:

**Pigs:** respiratory infections caused by *P. multocida*, *Streptococcus suis*, *Actinobacillus pleuropneumoniae*, *Erysipelas*. Infections caused by *Arcanobacterium pyogenes* and *Streptococcus suis*.

**Horses:** skin and hoof infections caused by *Arcanobacterium pyogenes* and *Fusobacterium necrophorum*. Pneumonia and bronchopneumoniae caused by *Straphylococcus spp.* and *Streptococcus spp.* Strangles (*Streptococcus equi subsp. equi*). Metritis caused by *Actinomyces pyogenes*.

**Dogs and Cats:** tonsillitis, tracheobronchitis and pneumonia caused by *Straphylococcus spp.*, *Streptococcus spp.* and *Nocardia*.

### Administration Route

Intramuscular injection.

### Dosage and administration

**Pigs and horses:** a single dose of 1 ml of BENZATARD per 25 kg body weight.

**Dogs and cats:** a single dose of 0.5 ml of BENZATARD per 5 kg body weight.

In all species the same dose can be repeated in 72 hours.

### Withdrawal period

Pigs: 28 days. Do not use in horses whose meat is for human consumption.

### Shelf-life period

2 years.

### Storage

Store in a cool, dark place.

### Supply

Vials of 100 ml.

LICENSE NUMBER: 0589-ESP (AEM SPAIN)